


36 060 670    Produktversion ab 01.06.2024

- Abdeckplatte 80 x 80 mm




	Dark Platinum gebürstet	36 060 670-99
	Chrom	36 060 670-00
	Platin gebürstet	36 060 670-06
	Platin	36 060 670-08
	Dark Chrome	36 060 670-19
	Light Gold gebürstet	36 060 670-27
	Messing gebürstet (23kt Gold)	36 060 670-28
	Schwarz matt	36 060 670-33
	Champagne gebürstet (22kt Gold)	36 060 670-46
	Champagne (22kt Gold)	36 060 670-47
	Chrom gebürstet	36 060 670-93

Benötigtes Zubehör

- UP-Wand-Einhandbatterie -**    35 860 970 90
- Min. Einbautiefe 80 mm
  - Max. Einbautiefe 95 mm





## Durchflussdiagramm



## Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

## Ü-Zeichen




UP-Einhandbatterie mit Abdeckplatte - Dark Platinum gebürstet

SERIENSPEZIFISC

36 060 670   Produktversion ab 01.06.2024

Zertifikate und Nachhaltigkeit

WRAS\_2107            LGA\_29



Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
1	90 15 05 064 01 90	Kartusche	1,00	2
5	09 11 02 530-99	Haube	1,00	20
8	09 20 67 004-99	Griff	1,00	20
4	09 27 78 048-99	Rosette	1,00	20
6	90 31 20 087 00-99	Stopfen	1,00	20
2	09 24 04 105 90	Mutter	1,00	2
9	90 30 09 064 00 90	Schlüssel	1,00	2
7	90 31 11 112 00 90	Stift	1,00	2
3	90 14 10 049 00 90	Dichtung	1,00	2