

36 120 670




- automatische Umstellung
- Abdeckplatte 150 x 90 mm


| | | |
|---|---------------------------------|---------------|
|  | Dark Chrome | 36 120 670-19 |
|  | Chrom | 36 120 670-00 |
|  | Platin gebürstet | 36 120 670-06 |
|  | Platin | 36 120 670-08 |
|  | Light Gold gebürstet | 36 120 670-27 |
|  | Messing gebürstet (23kt Gold) | 36 120 670-28 |
|  | Schwarz matt | 36 120 670-33 |
|  | Champagne gebürstet (22kt Gold) | 36 120 670-46 |
|  | Champagne (22kt Gold) | 36 120 670-47 |
|  | Chrom gebürstet | 36 120 670-93 |
|  | Dark Platinum gebürstet | 36 120 670-99 |

36 120 670

mm [inches]



Durchflussdiagramm



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



UP-Einhandbatterie mit Umstellung - Dark Chrome

SERIENSPEZIFISC

36 120 670

Zertifikate und Nachhaltigkeit

LGA_19

WRAS_2207

36 120 670

Ersatzteile für die
anderen
Oberflächenvarianten
finden Sie hier:
Chrom

