

36 607 985

- Rosette 60 x 60 mm
- Oberteil mit ablängbarer Spindel und Hülse



	Dark Platinum gebürstet	36 607 985-99
	Chrom	36 607 985-00
	Platin gebürstet	36 607 985-06
	Platin	36 607 985-08
	Dark Chrome	36 607 985-19
	Light Gold gebürstet	36 607 985-27
	Messing gebürstet (23kt Gold)	36 607 985-28
	Chrom gebürstet	36 607 985-93

**Benötigtes Zubehör**


**UP-Ventil 1/2" -** 35 607 970 90



- Max. Einbautiefe 145 mm
- Min. Einbautiefe 75 mm

36 607 985

mm [inches]



Zertifikate

DVGW\_DW-  
6501DN0116.

WRAS\_2011026.

IAPMO\_4976 (2).


LGA\_29931.

WRAS\_2010066.

DVGW\_DW-  
6512DN0706.

LGA\_29932.

36 607 985



**Ersatzteilstückliste**

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
1	09 20 98 002-99	Griff	1	30
2	09 12 12 005 90	Rastbuchse	1	2
3	09 12 12 043-99	Aufnahme	1	30
4	09 14 10 017 90	Dichtung	1	2
5	90 31 11 004 00 90	Stift	1	2
6	09 27 98 014-99	Rosette	1	30
7	09 21 02 151 90	Hülse	1	2
8	90 90 03 202 00 90	Oberteil	1	2