

## VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Bronze

VAIA

25 943 809



- spout: circular, air-enriched flow
  - max. flow 24.6 l/min at 3 bar flow pressure
  - Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
  - hand shower with anti-scale system
  - 221mm projection
  - pivotable spout 360°
  - rotary diverter for bath/shower
  - total height 920 mm
  - stand pipes height 628 mm
  - height up to aerator 816 mm
  - slide-on rosettes Ø 100 mm
  - gauge 150 mm
  - metal shower hose 1250mm with integrated anti-twist protection
  - pivotable shower holder on the right foot
  - WRAS 240502008, 1802014
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Brushed Bronze	25 943 809-42
	Chrome	25 943 809-00
	Brushed Platinum	25 943 809-06
	Platinum	25 943 809-08
	Dark Chrome	25 943 809-19
	Brushed Durabronze (23kt Gold)	25 943 809-28
	Brushed Champagne (22kt Gold)	25 943 809-46
	Champagne (22kt Gold)	25 943 809-47
	Brushed Dark Platinum	25 943 809-99

### Required miscellaneous



#### **Concealed floor mounting -**

35 944 970 90


- min. recess depth 80 mm
- max. recess depth 160 mm




VAIA Two-hole bath mixer for free-standing assembly with hand shower set -  
Brushed Bronze

VAIA

25 943 809  
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



## VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Bronze

---

VAIA

25 943 809

Certificates

---

Belgauqa\_22\_276\_2 LGA\_29


WRAS\_240502

**VAIA Two-hole bath mixer for free-standing assembly with hand shower set -  
Brushed Bronze**

VAIA

25 943 809

**Product version from 5/27/2021**





## VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Bronze

---

VAIA

25 943 809

### **Spare parts list**

**Product version from 5/27/2021**