

## TARA Two-hole bath mixer for free-standing assembly with hand shower set - Dark Chrome

TARA

25 943 882



- 220mm projection
  - pivotable spout 180°
  - spout: circular, air-enriched flow
  - Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
  - hand shower with anti-scale system
  - rotary diverter for bath/shower
  - total height 920 mm
  - stand pipes height 628 mm
  - height up to aerator 765 mm
  - slide-on rosettes Ø 90 mm
  - gauge 150 mm
  - metal shower hose 1250mm with integrated anti-twist protection
  - pivotable shower holder on the right foot
  - max. flow 22 l/min at 3 bar flow pressure
  - WRAS
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Dark Chrome	25 943 882-19
	Chrome	25 943 882-00
	Brushed Platinum	25 943 882-06
	Platinum	25 943 882-08
	Brushed Durabronze (23kt Gold)	25 943 882-28
	Matte Black	25 943 882-33
	Brushed Dark Brass	25 943 882-39
	Brushed Bronze	25 943 882-42
	Brushed Champagne (22kt Gold)	25 943 882-46
	Champagne (22kt Gold)	25 943 882-47
	Brushed Chrome	25 943 882-93
	Brushed Dark Platinum	25 943 882-99

### Required miscellaneous



- Concealed floor mounting -**
- max. recess depth 160 mm
  - min. recess depth 80 mm


35 944 970 90

## TARA Two-hole bath mixer for free-standing assembly with hand shower set - Dark Chrome

TARA

25 943 882

mm [inches]



### Flow rate chart



### Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
----------------	------	----------	----------

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



TARA Two-hole bath mixer for free-standing assembly with hand shower set -  
Dark Chrome

TARA

25 943 882

Certificates and sustainability

IAPMO\_4976

WRAS\_2212

LGA\_18

**TARA Two-hole bath mixer for free-standing assembly with hand shower set -  
Dark Chrome**

TARA

25 943 882

