




MADISON Shower set without hand shower - Brushed Platinum
MADISON

26 413 370




- slide bar
- Pipe diameter 18 mm
- rosettes Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- WRAS

This article does not include a hand shower!

	Brushed Platinum	26 413 370-06
	Chrome	26 413 370-00
	Platinum	26 413 370-08
	Durabrass (23kt Gold)	26 413 370-09
	Brushed Durabrass (23kt Gold)	26 413 370-28
	Brushed Dark Platinum	26 413 370-99


Recommended miscellaneous



Concealed wall elbow -
35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

Recommended miscellaneous



MADISON Wall elbow - Brushed Platinum
28 450 370-06


Required miscellaneous



MADISON Metal hand shower with porcelain insert (white)
28 002 970-06

FlowReduce - Brushed Platinum
0010

Required miscellaneous




MADISON Hand shower
28 002 978-06

FlowReduce - Brushed Platinum
0010

- spray head Ø 95mm
- Hand shower see page {PAGE}
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate l/min (at 3 bar)


Required miscellaneous



MADISON Hand shower - Brushed Platinum
28 002 978-06

- spray head Ø 95mm
- Hand shower see page {PAGE}
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate l/min (at 3 bar)

26 413 370



Codes & Standards			
ASME A112.18.1	cUPC	Scottish Water Byelaws	UK Water Supply Regulations

Certificates and sustainability	
WRAS_2009	IAPMO_4976



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	09 30 30 048 90	screw	2.00	2
5	09 21 40 020-06	connection	2.00	60
6	09 18 40 009 90	sleeve	2.00	2
9	28 204 970-06	Metal shower hose 1/2" x 1/2" x 1750 mm - Brushed Platinum	1.00	2
1	05 17 97 507 00 90	fixing set	2.00	2
8	12 580 970-06	Slide unit - Brushed Platinum	1.00	10
3	09 31 11 140 90	pin	2.00	60
7	08 28 22 596-06	pipe	1.00	60
4	09 31 11 002 90	pin	2.00	2