











26 633 892



- shower with fixed riser projection 420mm
- overhead shower: rain flow
- rain shower Ø 220 mm
- rain shower with anti-scale system
- max. rainshower flow 7 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Intrinsic protection against back flow.

| | | |
|---|--------------------------------|---------------|
|  | Dark Chrome | 26 633 892-19 |
|  | Chrome | 26 633 892-00 |
|  | Brushed Platinum | 26 633 892-06 |
|  | Platinum | 26 633 892-08 |
|  | Brushed Durabronze (23kt Gold) | 26 633 892-28 |
|  | Matte Black | 26 633 892-33 |
|  | Brushed Champagne (22kt Gold) | 26 633 892-46 |
|  | Champagne (22kt Gold) | 26 633 892-47 |
|  | Brushed Chrome | 26 633 892-93 |
|  | Brushed Dark Platinum | 26 633 892-99 |

Flow rate chart



Certificates

WRAS_2204012. LGA_38735.

26 633 892

Parts for other
finishes can be found
here: [Chrome](#)

