

## TARA Bath shower set for bath rim or tile edge installation - Brushed Platinum

TARA

27 512 892 Product version from 4/1/2024



- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 220mm projection
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 2250mm with integrated anti-twist protection

Also available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

|                                                                                     |                               |               |
|-------------------------------------------------------------------------------------|-------------------------------|---------------|
|    | Brushed Platinum              | 27 512 892-06 |
|    | Chrome                        | 27 512 892-00 |
|    | Platinum                      | 27 512 892-08 |
|    | Dark Chrome                   | 27 512 892-19 |
|    | Brushed Durabrass (23kt Gold) | 27 512 892-28 |
|    | Matte Black                   | 27 512 892-33 |
|    | Brushed Dark Brass            | 27 512 892-39 |
|    | Brushed Bronze                | 27 512 892-42 |
|    | Brushed Champagne (22kt Gold) | 27 512 892-46 |
|   | Champagne (22kt Gold)         | 27 512 892-47 |
|  | Brushed Chrome                | 27 512 892-93 |
|  | Brushed Dark Platinum         | 27 512 892-99 |

### Recommended miscellaneous



**Perfecto installation kit -**

12 614 970 90

### Recommended miscellaneous



**Decorative caps for Perfecto -  
Brushed Platinum**

• 1 pair

12 801 970-06



Flow rate chart



## Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



## TARA Bath shower set for bath rim or tile edge installation - Brushed Platinum

TARA

27 512 892 Product version from 4/1/2024

### Certificates and sustainability

IAPMO\_4976

LGA\_18

Belgaqua\_21-026-2



## Spare parts list

| No. | Item Number   | Name                                                                         | Quantity used | Delivery time |
|-----|---------------|------------------------------------------------------------------------------|---------------|---------------|
| 2   | 13 512 892-06 | spout                                                                        | 1.00          | 60            |
| 4   | 27 702 979-06 | Hand shower set for bath rim or tile edge installation -<br>Brushed Platinum | 1.00          | 10            |
| 1   | 20 000 892-06 | TARA Deck valve clockwise closing cold or hot -<br>Brushed Platinum          | 2.00          | 10            |
| 3   | 12 502 970 90 | High pressure hose 1/2" x 1/2" x 400 mm -                                    | 1.00          | 2             |