

MADISON Hand shower set with individual rosettes - Chrome

MADISON

27 803 361 Product version from 7/3/2016



- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- 1/2" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection

technical data:

- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2" wall elbow

Notes:

- WRAS

Intrinsic protection against back flow.

	Chrome	27 803 361-00
	Chrome	27 803 361-00 0010
	Brushed Platinum	27 803 361-06 0010
	Brushed Platinum	27 803 361-06
	Platinum	27 803 361-08 0010
	Platinum	27 803 361-08
	Durabrass (23kt Gold)	27 803 361-09 0010
	Durabrass (23kt Gold)	27 803 361-09
	Brushed Durabrass (23kt Gold)	27 803 361-28
	Brushed Durabrass (23kt Gold)	27 803 361-28 0010
	Brushed Dark Brass	27 803 361-39 0010
	Brushed Dark Brass	27 803 361-39
	Brushed Dark Platinum	27 803 361-99 0010
	Brushed Dark Platinum	27 803 361-99

Recommended miscellaneous

Concealed wall elbow -


35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

27 803 361 Product version from 7/3/2016

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen




MADISON Hand shower set with individual rosettes - Chrome

MADISON

27 803 361 Product version from 7/3/2016

Certificates and sustainability

LGA_29	LGA_8	WRAS_240502
--------	-------	-------------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	28 002 970-00	MADISON Metal hand shower with porcelain insert (white) - Chrome	1.00	10
3	28 104 970-00	Metal shower hose 1/2" x 1/2" x 1250 mm - Chrome	1.00	2
2	28 050 361-00	MADISON Wall bracket - Chrome	1.00	10
1	28 450 410-00	MADISON Wall elbow - Chrome	1.00	10