

27 803 361 Product version from 7/3/2016



- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: l/min
- with anti-scale system
- 1/2" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection

technical data:

- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2" wall elbow


Notes:

- WRAS

Intrinsic protection against back flow.

	Platinum	27 803 361-08 0010
	Chrome	27 803 361-00
	Chrome	27 803 361-00 0010
	Brushed Platinum	27 803 361-06 0010
	Brushed Platinum	27 803 361-06
	Platinum	27 803 361-08
	Durabrand (23kt Gold)	27 803 361-09 0010
	Durabrand (23kt Gold)	27 803 361-09
	Brushed Durabrand (23kt Gold)	27 803 361-28
	Brushed Durabrand (23kt Gold)	27 803 361-28 0010
	Brushed Dark Brass	27 803 361-39 0010
	Brushed Dark Brass	27 803 361-39
	Brushed Dark Platinum	27 803 361-99 0010
	Brushed Dark Platinum	27 803 361-99

mm [inches]



Codes & Standards

ASME A112.18.1 cUPC DIN 4109 EPA WaterSense

ISO 3822 Ü-Zeichen WaterSense




Certificates and sustainability

IAPMO_11777 IAPMO_4976 LGA_8

27 803 361 Product version from 7/3/2016

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 450 410-08 0010	MADISON Wall elbow - Platinum	1.00	40
4	28 002 970-08 0010	MADISON Metal hand shower with porcelain insert (white) FlowReduce - Platinum	1.00	40
3	28 104 970-08	Metal shower hose 1/2" x 1/2" x 1250 mm - Platinum	1.00	40
2	28 050 361-08	MADISON Wall bracket - Platinum	1.00	40