





















Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

27 808 980 Product version from 4/1/2024



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Light Gold | 27 808 980-27 0010 |
|  | Chrome | 27 808 980-00 |
|  | Chrome | 27 808 980-00 0010 |
|  | Brushed Platinum | 27 808 980-06 |
|  | Brushed Platinum | 27 808 980-06 0010 |
|  | Platinum | 27 808 980-08 |
|  | Platinum | 27 808 980-08 0010 |
|  | Dark Chrome | 27 808 980-19 |
|  | Dark Chrome | 27 808 980-19 0010 |
|  | Brushed Light Gold | 27 808 980-27 |
|  | Brushed Durabrass (23kt Gold) | 27 808 980-28 0010 |
|  | Brushed Durabrass (23kt Gold) | 27 808 980-28 |
|  | Matte Black | 27 808 980-33 |
|  | Matte Black | 27 808 980-33 0010 |
|  | Brushed Champagne (22kt Gold) | 27 808 980-46 0010 |
|  | Champagne (22kt Gold) | 27 808 980-47 0010 |
|  | Brushed Chrome | 27 808 980-93 |
|  | Brushed Chrome | 27 808 980-93 0010 |
|  | Brushed Dark Platinum | 27 808 980-99 |
|  | Brushed Dark Platinum | 27 808 980-99 0010 |

Recommended miscellaneous



- Concealed wall elbow -**
- min. recess depth mm
 - max. recess depth mm

35 085 970 90


Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

27 808 980 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



Hand shower set with individual rosettes FlowReduce - Brushed Light Gold


27 808 980 Product version from 4/1/2024

Certificates

LGA_29

Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

27 808 980 Product version from 4/1/2024



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 1 | 28 450 980-27 | Wall elbow - Brushed Light Gold | 1 | 30 |
| 2 | 90 14 20 026 00 90 | seal | 1 | 2 |
| 3 | 28 050 980-27 | Wall bracket - Brushed Light Gold | 1 | 30 |
| 4 | 90 30 02 072 00-27 | Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Light Gold | 1 | 30 |
| 5 | 90 12 11 140 41-27 | shower | 1 | 30 |