
















Rain shower for surface-mounted ceiling installation 300 mm - Brushed Platinum

SERIES SPECIFIC

28 031 970	Product version from 5/1/2022	
	<ul style="list-style-type: none"> <li>rain shower Ø 300 mm</li> <li>PURE RAIN, max. flow rate 12 l/min (at 3 bar)</li> <li>PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)</li> <li>with anti-scale system</li> </ul>	<div>  Brushed Platinum 28 031 970-06 </div>
	<div> <b>Technical data:</b> </div>	<div>  Chrome 28 031 970-00 </div>
	<ul style="list-style-type: none"> <li>Distance to ceiling from bottom edge of shower 40 mm</li> <li>For simultaneous control of the jet types, we recommend the xTool thermostat module</li> <li>WRAS</li> </ul>	<div>  Platinum 28 031 970-08 </div>
		<div>  Dark Chrome 28 031 970-19 </div>
		<div>  Light Gold 28 031 970-26 </div>
		<div>  Brushed Light Gold 28 031 970-27 </div>
		<div>  Brushed Durabrass (23kt Gold) 28 031 970-28 </div>
		<div>  Matte Black 28 031 970-33 </div>
		<div>  Brushed Dark Brass 28 031 970-39 </div>
		<div>  Brushed Bronze 28 031 970-42 </div>
		<div>  Brushed Champagne (22kt Gold) 28 031 970-46 </div>
		<div>  Champagne (22kt Gold) 28 031 970-47 </div>
		<div>  Brushed Chrome 28 031 970-93 </div>
		<div>  Brushed Dark Platinum 28 031 970-99 </div>


Required miscellaneous

	<b>Concealed ceiling installation box with ceiling fixing -</b>	35 041 970 90
	<ul style="list-style-type: none"> <li>min. recess depth 90 mm</li> <li>max. recess depth 115 mm</li> <li>2x female thread 1/2" outlet</li> <li>concealed rough parts</li> </ul>	


# Rain shower for surface-mounted ceiling installation 300 mm - Brushed Platinum

SERIES SPECIFIC

28 031 970 Product version from 5/1/2022  
mm [inches]



Flow rate chart



## Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen




Rain shower for surface-mounted ceiling installation 300 mm - Brushed  
Platinum

SERIES SPECIFIC

28 031 970    Product version from 5/1/2022

Certificates and sustainability

LGA\_38                      WRAS\_240502



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 17 20 263 00 90	fixing set	1.00	2
2	90 24 03 309 01 90	connection	1.00	2
3	90 24 03 309 00 90	connection	1.00	2