

## VAIA Wall elbow - Chrome

VAIA

28 450 809



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 1810006

Intrinsic protection against back flow.

	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Dark Chrome	28 450 809-19
	Brushed Durabronze (23kt Gold)	28 450 809-28
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99

### Recommended miscellaneous




#### **Concealed wall elbow -**

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 450 809

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	------------------------

UK Water Supply Regulations



## VAIA Wall elbow - Chrome

VAIA

28 450 809

### Certificates

IAPMO\_4976

WRAS\_1810

Belgaqua\_22\_280\_2

Product version from 3/13/2017 to 7/6/2018

**Product version from 7/6/2018**





## VAIA Wall elbow - Chrome

VAIA

28 450 809

### Spare parts list

Product version from 3/13/2017 to 7/6/2018

#### Product version from 7/6/2018

No.	Item Number	Name	Quantity used	Delivery time
	90 27 80 021 00-00	rosette	6	10