

Wall elbow - Brushed Champagne (22kt Gold)










SERIES SPECIFIC

28 450 980 Product version from 3/2/2021



- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

	Brushed Champagne (22kt Gold)	28 450 980-46
	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Durabrand (23kt Gold)	28 450 980-09
	Dark Chrome	28 450 980-19
	Light Gold	28 450 980-26
	Brushed Light Gold	28 450 980-27
	Brushed Durabrand (23kt Gold)	28 450 980-28
	Matte Black	28 450 980-33
	Brushed Dark Brass	28 450 980-39
	Brushed Bronze	28 450 980-42
	Champagne (22kt Gold)	28 450 980-47
	Brushed Chrome	28 450 980-93
	Brushed Dark Platinum	28 450 980-99

Recommended miscellaneous



- Concealed wall elbow -**
- max. recess depth 163 mm
 - min. recess depth 90 mm

35 085 970 90

Wall elbow - Brushed Champagne (22kt Gold)


SERIES SPECIFIC

28 450 980 Product version from 3/2/2021

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	---------------------------

UK Water Supply
Regulations



Wall elbow - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 450 980 Product version from 3/2/2021

Certificates and sustainability

Belgaqua_22_280_2 WRAS_2310

IAPMO_4976



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	09 31 11 005 90	pin	1.00	2
4	09 14 10 008 90	seal	1.00	2
7	09 31 11 026 90	pin	1.00	2
3	09 24 03 116 20 90	nipple	1.00	2
12	09 24 03 107 20 90	nipple	1.00	2
6	09 30 30 054 90	screw	1.00	2
8	09 27 82 006-46	rosette	1.00	30
5	09 14 10 142 90	seal	1.00	2
1	09 16 01 014 90	ring	1.00	2
9	09 11 03 046-46	connection	1.00	30
13	90 21 02 069 00-46	cover	1.00	30
11	90 14 10 077 00 90	seal	1.00	2
2	90 23 01 141 00 90	back-flow preventer	1.00	2