










MADISON Rain shower with wall fixing 200 mm - Brushed Durabrand (23kt Gold)
MADISON

28 545 977	<ul style="list-style-type: none"> 435mm projection rain shower Ø 200 mm PURE RAIN, max. flow rate 14 l/min (at 3 bar) Function from: 8 l/min rosette Ø 55 mm 1/2" connection with anti-scale system 	<div>  </div>	<div> <div>  Brushed Durabrand (23kt Gold) </div> <div> 28 545 977-28 </div> </div> <div> <div>  Chrome </div> <div> 28 545 977-00 </div> </div> <div> <div>  brushed chrome </div> <div> 28 545 977-93 </div> </div> <div> <div>  Brushed Platinum </div> <div> 28 545 977-06 </div> </div> <div> <div>  Platinum </div> <div> 28 545 977-08 </div> </div> <div> <div>  Durabrand (23kt Gold) </div> <div> 28 545 977-09 </div> </div> <div> <div>  Brushed Dark Platinum </div> <div> 28 545 977-99 </div> </div>
------------	---	--	--

Recommended miscellaneous

<div>  </div>	<div> Concealed wall elbow - </div> <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm 	35 085 970 90
--	--	---------------

MADISON Rain shower with wall fixing 200 mm - Brushed Durabronz (23kt Gold)

MADISON

28 545 977
mm [inches]



Flow rate chart



Certificates

DVGW_DW- LGA_38654.
6517DN0118.

28 545 977



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 35 003-28	rosette	1	60
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 017-28	connection	1	60
4	28 535 977-28	shower	1	60