












## TARA ULTRA Single-lever mixer - Brushed Chrome

TARA ULTRA

33 816 875



- 241mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 393 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2101012

|  |                                |               |
|--|--------------------------------|---------------|
|    | Brushed Chrome                 | 33 816 875-93 |
|    | Chrome                         | 33 816 875-00 |
|    | Brushed Platinum               | 33 816 875-06 |
|    | Platinum                       | 33 816 875-08 |
|    | Durabronze (23kt Gold)         | 33 816 875-09 |
|    | Dark Chrome                    | 33 816 875-19 |
|    | Brushed Durabronze (23kt Gold) | 33 816 875-28 |
|    | Matte Black                    | 33 816 875-33 |
|    | Brushed Champagne (22kt Gold)  | 33 816 875-46 |
|   | Champagne (22kt Gold)          | 33 816 875-47 |
|  | Brushed Dark Platinum          | 33 816 875-99 |

### Recommended miscellaneous

**Dispenser without rosette -  
Brushed Chrome** 82 424 970-93




### Recommended miscellaneous


**Strainer waste with control handle  
- Brushed Chrome** 10 712 970-93



33 816 875



Flow rate chart



Codes & Standards

DIN 4109

Executive Order  
no. 1007

ISO 3822

Ü-Zeichen



## TARA ULTRA Single-lever mixer - Brushed Chrome

TARA ULTRA

33 816 875

### Certificates


GDV\_0400

LGA\_18

33 816 875

**Product version from 6/1/2022**

Parts for other finishes can be found here: [Chrome](#)





## **Spare parts list**

**Product version from 6/1/2022**