

ELIO Single-lever mixer Pull-out - Dark Chrome

33 840 790



- 235mm projection
 - pivotable spout 360°
 - air-enriched flow
 - height of mixer 337 mm
 - height up to aerator 300 mm
 - hole diameter 35 mm
 - fabric braided hose 1500 mm
 - max. flow 8.8 l/min at 3 bar flow pressure
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Intrinsic protection against back flow.

| | | |
|--|-------------------------------|---------------|
|  | Dark Chrome | 33 840 790-19 |
|  | Chrome | 33 840 790-00 |
|  | Brushed Platinum | 33 840 790-06 |
|  | Platinum | 33 840 790-08 |
|  | Brushed Durabrass (23kt Gold) | 33 840 790-28 |
|  | Brushed Bronze | 33 840 790-42 |
|  | Brushed Champagne (22kt Gold) | 33 840 790-46 |
|  | Champagne (22kt Gold) | 33 840 790-47 |
|  | Brushed Chrome | 33 840 790-93 |
|  | Brushed Dark Platinum | 33 840 790-99 |

Recommended miscellaneous

Strainer waste with control handle

10 712 970-19

- Dark Chrome




ELIO Single-lever mixer Pull-out - Dark Chrome

33 840 790



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



ELIO Single-lever mixer Pull-out - Dark Chrome

33 840 790

Certificates

| | | |
|----------|--------|-------------------|
| GDV_0400 | LGA_19 | Belgaqua_22_277_2 |
|----------|--------|-------------------|

ELIO Single-lever mixer Pull-out - Dark Chrome

33 840 790

Parts for other
finishes can be found
here: [Chrome](#)

