

TARA ULTRA Profi single-lever mixer - Brushed Platinum

TARA ULTRA








33 860 875

Product version up to 7/24/2018



- 240mm projection
- pivotable 360°
- air-enriched flow and spray flow
- height of mixer 685 mm
- height up to aerator 129 mm
- hole diameter 35 mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Platinum	33 860 875-06
	Chrome	33 860 875-00
	Platinum	33 860 875-08
	Dark Chrome	33 860 875-19
	Brushed Bronze	33 860 875-42
	Brushed Chrome	33 860 875-93
	Brushed Dark Platinum	33 860 875-99

Recommended miscellaneous

Strainer waste with control handle

10 712 970-06

- Brushed Platinum



Recommended miscellaneous

Dispenser without rosette -


82 424 970-06

Brushed Platinum



The technical drawings illustrate the dimensions and components of the M 34x1 nut assembly:

- Main Assembly View:** Shows the vertical assembly with dimensions: total height ca. 685 [70"], top section 106 [4 1/4"], middle section 70 [2 3/4"], base plate thickness 4.6 [1/4"], and mounting hole diameter Ø 35 [1 3/8"]. The base is labeled G 3/8".
- Detail View:** A close-up of the top section showing a coiled spring and a horizontal arm with dimensions 240 [9 1/2"] and 118 [4 5/8"]. The arm has a width of 17.5 [3/4"] and a central hole of Ø 35 [1 3/8"]. The overall width at the bottom is 250 [10].
- Component Views:** Two views of the coiled spring are shown below the main drawing, one from the side and one from the end.
- Scale:** A scale bar indicates 100 mm (10 inch).
- Ratio:** A ratio of 1:10 is indicated next to the spring component.



Ü-Zeichen



TARA ULTRA Profi single-lever mixer - Brushed Platinum

TARA ULTRA

33 860 875 Product version up to 7/24/2018


Certificates and sustainability

LGA_18

Belgaqua_22_277_2

33 860 875 Product version up to 7/24/2018

Parts for other
finishes can be found
here: [Chrome](#)





TARA ULTRA Profi single-lever mixer - Brushed Platinum

TARA ULTRA

33 860 875 Product version up to 7/24/2018

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
28	09 14 10 149 90	seal	1.00	2
15	09 11 10 072 10-06	connection	1.00	10
3	09 23 01 046 90	back-flow preventer	1.00	2
26	04 23 10 044 02 90	fixing set	1.00	2
11	09 18 40 118 90	sleeve	1.00	2
5	09 14 15 024 90	ring	2.00	2
13	09 14 10 100 90	seal	1.00	2
12	04 12 11 092 10-06	shower	1.00	10
20	09 24 04 107-06	nut	1.00	10
8	09 28 10 181 90	ring	2.00	2
27	04 30 04 016 00 90	hose	2.00	60
23	09 31 20 017 90	plug	1.00	2
25	09 14 10 036 90	seal	1.00	2
21	09 20 79 040-06	handle	1.00	10
29	09 28 10 035-06	rosette	1.00	10
9	04 17 20 029 00-06	holder	1.00	10
18	90 15 05 061 00 90	cartridge	1.00	60
1	09 16 02 035 90	spring	1.00	2
6	09 30 01 067 10-06	adaptor	1.00	10
24	09 30 01 111 20 90	sleeve	1.00	2
14	09 28 10 122 90	ring	1.00	2
17	04 31 11 113 00 90	pin	1.00	2
7	90 14 10 077 00 90	seal	1.00	2
10	90 31 11 112 00 90	pin	2.00	2
2	90 30 02 065 00-06	hose	1.00	10
22	90 31 11 030 00 90	pin	1.00	2
16	90 14 10 055 00 90	seal	1.00	2
4	90 23 01 141 00 90	back-flow preventer	1.00	2
19	90 28 10 148 00 90	accessories	1.00	2