

34 459 360









- shower with fixed riser projection 420mm
- rain shower Ø 200 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 8 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

This article does not include a hand shower!


Intrinsic protection against back flow.

NOTE: The handles must be ordered separately from the fittings!


|  |                               |               |
|--|-------------------------------|---------------|
|  | Platinum                      | 34 459 360-08 |
|  | Chrome                        | 34 459 360-00 |
|  | Brushed Platinum              | 34 459 360-06 |
|  | Durabrand (23kt Gold)         | 34 459 360-09 |
|  | Brushed Durabrand (23kt Gold) | 34 459 360-28 |
|  | Brushed Dark Platinum         | 34 459 360-99 |

34 459 360

1:10



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Ü-Zeichen



## MADISON Showerpipe with shower thermostat without hand shower - Platinum

---

MADISON

34 459 360

Certificates

---

LGA\_38

34 459 360

Parts for other  
finishes can be found  
here: [Chrome](#)





MADISON Showerpipe with shower thermostat without hand shower - Platinum

MADISON

34 459 360

Spare parts list

| No. | Item Number        | Name   | Quantity used | Delivery time |
|-----|--------------------|--------|---------------|---------------|
|     | 04 12 05 038 01-08 | shower | 17            | 60            |