
















Concealed single-lever mixer with integrated shower connection - Brushed Bronze

SERIES-VARIOUS

36 050 970	Product version from 10/1/2023		
	<ul style="list-style-type: none"> without rosette WRAS 		
	Intrinsic protection against back flow.		
	Intrinsic protection against back flow.		
			
			Brushed Bronze 36 050 970-42
			Chrome 36 050 970-00
			Brushed Platinum 36 050 970-06
			Platinum 36 050 970-08
			Dark Brass matt 36 050 970-16
			Dark Chrome 36 050 970-19
			Light Gold 36 050 970-26
			Brushed Light Gold 36 050 970-27
			Brushed Durabronze (23kt Gold) 36 050 970-28
			Matte Black 36 050 970-33
			Brushed Champagne (22kt Gold) 36 050 970-46
			Champagne (22kt Gold) 36 050 970-47
			Brushed Chrome 36 050 970-93
			Brushed Dark Platinum 36 050 970-99

Required miscellaneous	
<div> <div>  </div> <div> Concealed wall mounting - •min. recess depth 80 mm •max. recess depth 105 mm </div> </div>	35 050 970 90

Concealed single-lever mixer with integrated shower connection - Brushed Bronze

SERIES-VARIOUS

36 050 970 Product version from 10/1/2023
mm [inches]



Flow rate chart



Concealed single-lever mixer with integrated shower connection - Brushed Bronze

SERIES-VARIOUS

36 050 970 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
13	09 14 10 061 90	seal	1.00	2
12	09 18 40 230 90	connection	1.00	2
8	90 21 02 069 00-42	cover	1.00	30
11	90 14 10 060 00 90	seal	1.00	2
10	28 322 970-42	Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Bronze	1.00	30
2	09 24 04 266 90	nut	1.00	2
7	09 24 03 281-42	nipple	1.00	60
5	09 23 01 131 90	back-flow preventer	1.00	2
9	90 14 20 026 00 90	seal	1.00	2
1	90 20 97 064 00-42	handle	1.00	30
4	09 31 11 004 90	pin	1.00	60
3	90 15 05 044 04 90	cartridge	1.00	2
6	09 14 10 213 90	seal	1.00	2