










VAIA Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

36 120 809 Product version from 2/20/2020



- automatic diverter
- cover plate Ø 150 mm
- WRAS

	Brushed Champagne (22kt Gold)	36 120 809-46
	Chrome	36 120 809-00
	Brushed Platinum	36 120 809-06
	Platinum	36 120 809-08
	Dark Chrome	36 120 809-19
	Brushed Durabronze (23kt Gold)	36 120 809-28
	Brushed Bronze	36 120 809-42
	Champagne (22kt Gold)	36 120 809-47
	Brushed Dark Platinum	36 120 809-99

Required miscellaneous



Concealed single-lever mixer with backflow preventor -
35 021 970 90

- max. recess depth mm
- min. recess depth mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction -
12 340 970 90

Required miscellaneous



Concealed single-lever mixer -
35 020 970 90

- max. recess depth mm
- min. recess depth mm


Required miscellaneous




xGRID Installation track 555 mm -
12 360 970 90

VAIA Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

36 120 809 Product version from 2/20/2020
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



VAIA Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

36 120 809 Product version from 2/20/2020


Certificates

LGA_19

WRAS_2207

VAIA Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

36 120 809 Product version from 2/20/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 05 039 00 90	cartridge	1	2
2	09 24 04 448 90	nut	1	2
3	09 14 10 084 90	seal	1	2
4	09 11 02 261-46	plate	1	30
5	09 11 02 260-46	sleeve	1	30
6	09 20 80 023-46	handle	1	30
7	90 31 11 063 00 90	pin	1	2
8	90 31 20 087 00-46	plug	1	30
9	90 31 09 139 00-46	pull-rod	1	30
10	90 21 34 081 00 90	diverter	1	2
11	90 30 09 064 00 90	key	1	2