

TARA Bath mixer for wall mounting with hand shower set - Brushed Dark Brass

TARA

25 133 882 Product version from 5/27/2021



- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 240mm projection
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- WRAS

Intrinsic protection against back flow.

Stand pipes combination possible on request (special production).

| | | |
|---|--------------------------------|---------------|
|  | Brushed Dark Brass | 25 133 882-39 |
|  | Chrome | 25 133 882-00 |
|  | Brushed Platinum | 25 133 882-06 |
|  | Platinum | 25 133 882-08 |
|  | Dark Chrome | 25 133 882-19 |
|  | Brushed Durabronze (23kt Gold) | 25 133 882-28 |
|  | Matte Black | 25 133 882-33 |
|  | Brushed Champagne (22kt Gold) | 25 133 882-46 |
|  | Champagne (22kt Gold) | 25 133 882-47 |
|  | Brushed Chrome | 25 133 882-93 |
|  | Brushed Dark Platinum | 25 133 882-99 |

25 133 882 Product version from 5/27/2021



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA Bath mixer for wall mounting with hand shower set - Brushed Dark Brass

TARA

25 133 882 Product version from 5/27/2021

Certificates and sustainability

WRAS_2210

LGA_18

25 133 882 Product version from 5/27/2021

Parts for other
finishes can be found
here: [Chrome](#)

