

27 808 809



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- WRAS 1810007

Intrinsic protection against back flow.

| | | |
|--|-------------------------------|--------------------|
|  | Brushed Durabronz (23kt Gold) | 27 808 809-28 |
|  | Chrome | 27 808 809-00 |
|  | Chrome | 27 808 809-00 0010 |
|  | Brushed Platinum | 27 808 809-06 |
|  | Brushed Platinum | 27 808 809-06 0010 |
|  | Platinum | 27 808 809-08 0010 |
|  | Platinum | 27 808 809-08 |
|  | Dark Chrome | 27 808 809-19 0010 |
|  | Brushed Durabronz (23kt Gold) | 27 808 809-28 0010 |
|  | Brushed Bronze | 27 808 809-42 |
|  | Brushed Bronze | 27 808 809-42 0010 |
|  | Brushed Champagne (22kt Gold) | 27 808 809-46 0010 |
|  | Champagne (22kt Gold) | 27 808 809-47 0010 |
|  | Brushed Dark Platinum | 27 808 809-99 |
|  | Brushed Dark Platinum | 27 808 809-99 0010 |

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

27 808 809

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



VAIA Hand shower set with individual rosettes - Brushed Durabronz (23kt Gold)

VAIA

27 808 809

Certificates

LGA_28

LGA_29


WRAS_1810

Belgaqua_22_280_2

27 808 809

Product version from 3/13/2017 to 6/3/2020

Product version from 6/3/2020





VAIA Hand shower set with individual rosettes - Brushed Durabronz (23kt Gold)

VAIA

27 808 809

Spare parts list

Product version from 3/13/2017 to 6/3/2020

Product version from 6/3/2020

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--------|---------------|---------------|
| | 90 12 11 152 00-28 | shower | 5 | 20 |