

**MADISON Wall elbow - Brushed Durabron (23kt Gold)**













MADISON

28 450 370



- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 240502026

Intrinsic protection against back flow.


	Brushed Durabron (23kt Gold)	28 450 370-28
	Chrome	28 450 370-00
	Chrome	28 450 370-00 0010
	Brushed Platinum	28 450 370-06
	Brushed Platinum	28 450 370-06 0010
	Platinum	28 450 370-08
	Platinum	28 450 370-08 0010
	Durabron (23kt Gold)	28 450 370-09
	Durabron (23kt Gold)	28 450 370-09 0010
	Brushed Durabron (23kt Gold)	28 450 370-28 0010
	Brushed Dark Platinum	28 450 370-99
	Brushed Dark Platinum	28 450 370-99 0010

**Recommended miscellaneous**




- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
  - min. recess depth 90 mm

28 450 370



Flow rate chart



Codes & Standards

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## MADISON Wall elbow - Brushed Durabronze (23kt Gold)

---

MADISON

28 450 370

### Certificates


---

Belgaqua\_21-381-2 WRAS\_240502

28 450 370

Product version up to 7/6/2018

**Product version from 7/6/2018**





# MADISON Wall elbow - Brushed Durabronz (23kt Gold)

MADISON

28 450 370

## Spare parts list

Product version up to 7/6/2018

### Product version from 7/6/2018

No.	Item Number	Name	Quantity used	Delivery time
	09 27 37 003-28	rosette	4	20