

TARA ULTRA POT FILLER Cold-water valve - Durabronz (23kt Gold)

TARA ULTRA

30 805 875 Product version from 10/1/2024



- 500mm projection
- pivoting spout
- laminar flow
- cold water only
- max. flow 5.7 l/min at 3 bar flow pressure
- min. recess depth 125 mm
- max. recess depth 80 mm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Durabronz (23kt Gold) | 30 805 875-09 |
|  | Chrome | 30 805 875-00 |
|  | Brushed Platinum | 30 805 875-06 |
|  | Platinum | 30 805 875-08 |
|  | Dark Chrome | 30 805 875-19 |
|  | Brushed Durabronz (23kt Gold) | 30 805 875-28 |
|  | Brushed Bronze | 30 805 875-42 |
|  | Brushed Champagne (22kt Gold) | 30 805 875-46 |
|  | Champagne (22kt Gold) | 30 805 875-47 |
|  | Brushed Chrome | 30 805 875-93 |
|  | Brushed Dark Platinum | 30 805 875-99 |


Required miscellaneous

POT FILLER Concealed wall elbow 35 087 970 90



- min. recess depth 80 mm
- max. recess depth 125 mm

30 805 875 Product version from 10/1/2024



Flow rate chart



Codes & Standards

| | | | |
|------------------------|-----------------------------|-----------|-------|
| DIN 4109 | ISO 3822 | NSF372 | NSF61 |
| Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen | |



TARA ULTRA POT FILLER Cold-water valve - Durabrand (23kt Gold)

TARA ULTRA

30 805 875 Product version from 10/1/2024

Certificates and sustainability

| | | | |
|--------|-----------|---------|-------------|
| LGA_29 | IAPMO_N-4 | IAPMO_6 | WRAS_240702 |
|--------|-----------|---------|-------------|



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|----------------------|------------|---------------|---------------|
| | 10 09 14 10 015 90 | seal | 2.00 | 2 |
| | 4 09 20 62 027-09 | handle | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 8 90 16 04 001 00 90 | spring | 1.00 | 2 |
| | 2 90 90 03 146 00 90 | top | 1.00 | 2 |
| | 1 09 20 62 025-09 | handle | 1.00 | 40 |
| | 6 90 30 01 213 00 90 | connection | 1.00 | 2 |
| | 12 09 21 02 028-09 | lid | 1.00 | 40 |
| | 5 90 90 03 171 00 90 | top | 1.00 | 2 |
| | 7 90 27 87 039 00-09 | rosette | 1.00 | 40 |
| | 3 90 23 01 026 11-09 | aerator | 1.00 | 40 |
| | 9 09 28 10 136 90 | ring | 1.00 | 2 |
| | 11 09 28 10 139 90 | ring | 1.00 | 2 |