

33 500 845

- 130mm projection
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 127 mm
- height up to aerator 75 mm • hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested • max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 1906074


Only suitable for basins with an overflow.

Brushed Chrome	33 500 845-93
Chrome	33 500 845-00
Brushed Platinum	33 500 845-06
Dark Chrome	33 500 845-19
Brushed Light Gold	33 500 845-27
Matte Black	33 500 845-33
Brushed Dark Platinum	33 500 845-99






33 500 845



Flow rate chart



Codes & Standards

DIN 4109	Executive Order no. 1007	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



33 500 845

Certificates

WRAS_1906 GDV_0400 LGA_29




33 500 845

Product version from 3/9/2016 to 10/31/2018 Product version from 10/31/2018 to 5/3/2021

Product version from 5/3/2021

Parts for other finishes can be found here: Chrome





33 500 845

Spare parts list

Product version from 3/9/2016 to 10/31/2018

Product version from 10/31/2018 to 5/3/2021

Product version from 5/3/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 20 84 020 00-93	handle	12	20