

TARA ULTRA BAR TAP Single-lever mixer - Brushed Champagne (22kt Gold)

TARA ULTRA

33 805 875



- 166mm projection
- gauge mm
- pivotable spout 360°
- laminar flow
- height of mixer 303 mm
- height up to laminar flow regulator 186 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Champagne (22kt Gold)	33 805 875-46
	Chrome	33 805 875-00
	Brushed Platinum	33 805 875-06
	Platinum	33 805 875-08
	Durabrass (23kt Gold)	33 805 875-09
	Dark Chrome	33 805 875-19
	Brushed Durabrass (23kt Gold)	33 805 875-28
	Matte Black	33 805 875-33
	Brushed Bronze	33 805 875-42
	Champagne (22kt Gold)	33 805 875-47
	Brushed Chrome	33 805 875-93
	Brushed Dark Platinum	33 805 875-99

Recommended miscellaneous

**Dispenser without rosette -
Brushed Champagne (22kt Gold)** 82 424 970-46




Recommended miscellaneous

**Strainer waste with control handle
- Brushed Champagne (22kt Gold)** 10 712 970-46



Technical drawing of the G 3/8 fitting. The drawing includes two views: a front view (left) and a side view (right). Dimensions are provided in inches.

- Front View (Left):**
 - Total height: 92 [3 7/8"]
 - Top flange outer diameter: Ø 46 [1 3/4"]
 - Top flange inner diameter: Ø 61 [2 3/8"]
 - Threaded section length: 407 [16"]
 - Bottom flange outer diameter: Ø 35 [1 3/8"]
 - Maximum thread length: max. 72 [3"]
- Side View (Right):**
 - Overall width at top: 198 [7 7/8"]
 - Width of the curved section: 166 [6 5/8"]
 - Height from base to start of curve: 23 [1"]
 - Radius of the curved section: R 11 [3/4"]
 - Height from base to end of curve: 186 [7 1/2"]
 - Total height: 385 [15 1/4"]
 - Connection type: G 3/8





TARA ULTRA BAR TAP Single-lever mixer - Brushed Champagne (22kt Gold)

TARA ULTRA

33 805 875

Certificates and sustainability

LGA_18

33 805 875

Parts for other
finishes can be found
here: [Chrome](#)

