














Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Bronze
SERIES SPECIFIC

36 046 660	Product version from 4/1/2024		
	<ul style="list-style-type: none"> cover plate Ø 80 mm 		
	Intrinsic protection against back flow.		
			
		<div>  Brushed Bronze 36 046 660-42 </div>	
		<div>  Chrome 36 046 660-00 </div>	
		<div>  Brushed Platinum 36 046 660-06 </div>	
		<div>  Platinum 36 046 660-08 </div>	
		<div>  Dark Chrome 36 046 660-19 </div>	
		<div>  Brushed Durabrass (23kt Gold) 36 046 660-28 </div>	
		<div>  Matte Black 36 046 660-33 </div>	
		<div>  Brushed Dark Brass 36 046 660-39 </div>	
		<div>  Brushed Champagne (22kt Gold) 36 046 660-46 </div>	
		<div>  Champagne (22kt Gold) 36 046 660-47 </div>	
		<div>  Brushed Chrome 36 046 660-93 </div>	
		<div>  Brushed Dark Platinum 36 046 660-99 </div>	

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Bronze

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Bronze

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024

Certificates and sustainability


LGA_38

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Bronze

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	16 90 30 30 229 00 90	screw	2.00	2
	2 90 27 66 023 00-42	rosette	1.00	30
	5 09 14 10 111 90	seal	1.00	2
	8 09 24 04 266 90	nut	1.00	2
	14 09 24 03 281-42	nipple	1.00	60
	15 90 21 02 069 00-42	cover	1.00	30
	11 90 20 66 006 00-42	handle	1.00	30
	1 90 30 11 232 00 90	disc	1.00	2
	7 90 15 05 044 00 90	cartridge	1.00	2
	12 09 23 01 131 90	back-flow preventer	1.00	2
	10 09 28 30 041-42	cover	1.00	60
	3 09 31 11 144 90	pin	1.00	2
	13 90 14 10 021 00 90	seal	1.00	2
	6 90 18 40 320 00-42	sleeve	1.00	30
	4 90 24 01 046 00 90	connection	2.00	2
	9 09 14 10 120 90	seal	1.00	2