









36 425 845 Product version from 6/30/2022




- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

| | | |
|---|-----------------------|---------------|
|  | Dark Chrome | 36 425 845-19 |
|  | Chrome | 36 425 845-00 |
|  | Brushed Platinum | 36 425 845-06 |
|  | Brushed Light Gold | 36 425 845-27 |
|  | Matte Black | 36 425 845-33 |
|  | Brushed Chrome | 36 425 845-93 |
|  | Brushed Dark Platinum | 36 425 845-99 |

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|-----------|------------|------------------------|
| DIN 4109 | EN 1111 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | VA-Zeichen | |



LISSE Concealed thermostat with one function volume control - Dark Chrome

LISSE

36 425 845 Product version from 6/30/2022

Certificates and sustainability

| | | | | |
|--------|--------|-----------------|--------|-------------|
| LGA_19 | ETA_20 | DVGW_DW-6512DN0 | LGA_19 | WRAS_250402 |
|--------|--------|-----------------|--------|-------------|

36 425 845 Product version from 6/30/2022

Parts for other
finishes can be found
here: [Chrome](#)

