

RAINMOON Rain panel with color light - Matte White

41 615 979



- exposed trim parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- RGBW LED ambient lighting
- Matt white cover, RAL 9003
- with anti-scale system
- Outer diameter 1240 mm, opening diameter 450 mm
- Control elements not included among the items supplied
- Provided by customer: Zigbee gateway

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Required miscellaneous



RAINMOON Concealed ceiling installation box with color light - 35 615 970 90

- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- min. recess depth 290 mm
- concealed rough parts



RAINMOON Rain panel with color light - Matte White

41 615 979

Codes & Standards

DIN 4109

ISO 3822


Ü-Zeichen

Certificates

LGA_29

RAINMOON Rain panel with color light - Matte White

41 615 979





RAINMOON Rain panel with color light - Matte White

41 615 979

Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------|---------------|---------------|
| | 90 10 01 183 01 90 | lamp | 61 | 2 |