

## LOT HOT & COLD WATER DISPENSER - Brushed Platinum

LOT

17 861 680



- 145mm projection
- rigid, thermally insulated spout
- laminar flow
- height of mixer 233 mm
- height up to laminar flow regulator 213 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (137mm x 159mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free
- one lever for cold and hot water
- Spout ring cannot be removed.
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

NOTE: Not compatible with Reverse Osmosis

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

In addition, the installation must be above a kitchen sink.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

Detailed planning information and technical data can be found at [www.dornbracht.com/professional](http://www.dornbracht.com/professional)

|   |                                |               |
|---|--------------------------------|---------------|
|  | Brushed Platinum               | 17 861 680-06 |
|  | Chrome                         | 17 861 680-00 |
|  | Platinum                       | 17 861 680-08 |
|  | Dark Chrome                    | 17 861 680-19 |
|  | Brushed Durabronze (23kt Gold) | 17 861 680-28 |
|  | Brushed Champagne (22kt Gold)  | 17 861 680-46 |
|  | Champagne (22kt Gold)          | 17 861 680-47 |
|  | Brushed Dark Platinum          | 17 861 680-99 |




LOT HOT & COLD WATER DISPENSER - Brushed Platinum


LOT

17 861 680

mm [inches]



Flow rate chart



Codes & Standards

ADA

ASME  
A112.18.1/CSA  
B125.1

California Energy  
Commission  
(CEC)

NSF/ANSI 372

NSF/ANSI/CAN  
61



LOT HOT & COLD WATER DISPENSER - Brushed Platinum

LOT


17 861 680

Certificates

IAPMO\_4976 (5).    IAPMO\_N-4976.    LGA\_28297.    IAPMO\_6397.

17 861 680

Parts for other  
finishes can be found  
here: [Chrome](#)



Spare parts list

| No. | Item Number        | Name                   | Quantity used | Delivery time |
|-----|--------------------|------------------------|---------------|---------------|
| 1   | 90 17 85 100 03-06 | fitting                | 1             | 10            |
| 2   | 90 30 04 067 00 90 | hose                   | 1             | 2             |
| 3   | 90 10 01 048 00 90 | electronic accessories | 1             | 2             |
| 4   | 04 10 01 050 00 90 | power supply           | 1             | 60            |
| 5   | 12 866 970 90      | adaptor                | 1             | 2             |
| 6   | 90 11 11 064 01 90 | electronic accessories | 1             | 2             |
| 7   | 90 24 04 291 00 90 | insert                 | 1             | 2             |
| 8   | 09 24 04 293 90    | nipple                 | 1             | 2             |
| 9   | 09 16 01 045 90    | ring                   | 1             | 2             |