

## TARA Three-hole mixer - Durabronss (23kt Gold)

TARA

20 815 892



- 235mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Durabronss (23kt Gold)	20 815 892-09 0010
	Chrome	20 815 892-00 0010
	Brushed Platinum	20 815 892-06 0010
	Platinum	20 815 892-08 0010
	Dark Chrome	20 815 892-19 0010
	Brushed Durabronss (23kt Gold)	20 815 892-28 0010
	Matte Black	20 815 892-33 0010
	Brushed Champagne (22kt Gold)	20 815 892-46 0010
	Champagne (22kt Gold)	20 815 892-47 0010
	Brushed Chrome	20 815 892-93 0010
	Brushed Dark Platinum	20 815 892-99 0010

### Recommended miscellaneous

**AIR SWITCH Control button - Durabronss (23kt Gold)**

10 713 970-09




### Recommended miscellaneous

**Dispenser with rosette - Durabronss (23kt Gold)**


82 444 970-09



20 815 892



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	NSF/ANSI 372
NSF/ANSI/CAN 61	NSF372	NSF61	



## TARA Three-hole mixer - Durabronz (23kt Gold)

---

TARA

20 815 892

### Certificates


---

IAPMO\_N-4

IAPMO\_6

**Product version from 6/30/2009**

Parts for other  
finishes can be found  
here: Chrome





## **Spare parts list**

**Product version from 6/30/2009**