

MEM Bath shower set for bath rim or tile edge installation - Dark Chrome

MEM

27 532 782



- 220mm projection
- spout: rectangular normal flow
- max. flow 27.3 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- WRAS

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

| | | |
|---|-------------------------------|---------------|
|  | Dark Chrome | 27 532 782-19 |
|  | Chrome | 27 532 782-00 |
|  | Brushed Platinum | 27 532 782-06 |
|  | Platinum | 27 532 782-08 |
|  | Brushed Durabrass (23kt Gold) | 27 532 782-28 |
|  | Brushed Champagne (22kt Gold) | 27 532 782-46 |
|  | Champagne (22kt Gold) | 27 532 782-47 |
|  | Brushed Dark Platinum | 27 532 782-99 |

27 532 782



Flow rate chart



Codes & Standards

ASME A112.18.1 cUPC DIN 4109 ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



MEM Bath shower set for bath rim or tile edge installation - Dark Chrome

MEM

27 532 782

Certificates and sustainability

| | | |
|-----------|------------|-------|
| WRAS_2306 | IAPMO_4976 | LGA_9 |
|-----------|------------|-------|

MEM Bath shower set for bath rim or tile edge installation - Dark Chrome

MEM

27 532 782

Parts for other
finishes can be found
here: [Chrome](#)

