

## Hand shower FlowReduce - Dark Chrome

IMO

28 017 979



Fits: IMO, LULU, MADISON, MEM, TARA,  
CL.1, LISSÉ, VAIA, META, CYO

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 130 mm
- 1/2" connection
- This product reduces water consumption by % (compared to requirements of EPAct '92)
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.


|  |                                |                    |
|--|--------------------------------|--------------------|
|    | Dark Chrome                    | 28 017 979-19 0010 |
|    | Chrome                         | 28 017 979-00 0010 |
|    | Brushed Platinum               | 28 017 979-06 0010 |
|    | Platinum                       | 28 017 979-08 0010 |
|    | Light Gold                     | 28 017 979-26 0010 |
|    | Brushed Light Gold             | 28 017 979-27 0010 |
|    | Brushed Durabronze (23kt Gold) | 28 017 979-28 0010 |
|    | Matte Black                    | 28 017 979-33 0010 |
|    | Brushed Bronze                 | 28 017 979-42 0010 |
|   | Brushed Champagne (22kt Gold)  | 28 017 979-46 0010 |
|  | Champagne (22kt Gold)          | 28 017 979-47 0010 |
|  | Brushed Chrome                 | 28 017 979-93 0010 |
|  | Brushed Dark Platinum          | 28 017 979-99 0010 |

## Hand shower FlowReduce - Dark Chrome

IMO

28 017 979

mm [inches]



### Flow rate chart



### Codes & Standards

ASME  
A112.18.1/CSA  
B125.1  
ISO 3822

California Energy  
Commission  
(CEC)  
Ü-Zeichen

DIN 4109

EN 1112



## Hand shower FlowReduce - Dark Chrome

---

IMO

28 017 979


### Certificates

---

DVGW\_DW-  
6517DN0

LGA\_29

Parts for other  
finishes can be found  
here: [Chrome](#)





## Hand shower FlowReduce - Dark Chrome

IMO

28 017 979

### Spare parts list