
















Wall elbow - aluminium

28 450 625



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

	aluminium	28 450 625-45
	Chrome	28 450 625-00
	brushed chrome	28 450 625-04
	Brushed Platinum	28 450 625-06
	Platinum	28 450 625-08
	Dark Chrome	28 450 625-19
	Light Gold	28 450 625-26
	Brushed Light Gold	28 450 625-27
	Brushed Durabronze (23kt Gold)	28 450 625-28
	Matte Black	28 450 625-33
	Brushed Bronze	28 450 625-42
	Brushed Champagne (22kt Gold)	28 450 625-46
	Champagne (22kt Gold)	28 450 625-47
	Brushed Chrome	28 450 625-93
	Brushed Dark Platinum	28 450 625-99


Wall elbow - aluminium

28 450 625

mm [inches]



Flow rate chart



Codes & Standards

ASME	EN 1717	Scottish Water	UK Water Supply
A112.18.1/CSA		Byelaws	Regulations
B125.1			
XP P 41-280			



Wall elbow - aluminium

28 450 625

Certificates

Belgaqua_21-381-2 ACS_20 ACC LY WRAS_240702

Wall elbow - aluminium

28 450 625

Parts for other
finishes can be found
here: [Chrome](#)

