

Wall elbow - Dark Chrome

28 450 980



- 3/8" shower outlet
 - rosette 60 x 60 mm
 - 1/2" connection
 - WRAS
- Intrinsic protection against back flow.**
- Intrinsic protection against back flow.

	Dark Chrome	28 450 980-19
	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Durabrass (23kt Gold)	28 450 980-09
	Light Gold	28 450 980-26
	Brushed Light Gold	28 450 980-27
	Brushed Durabrass (23kt Gold)	28 450 980-28
	Matte Black	28 450 980-33
	Brushed Bronze	28 450 980-42
	Brushed Champagne (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Cyprum	28 450 980-49
	Brushed Chrome	28 450 980-93
	Brushed Dark Platinum	28 450 980-99

Required miscellaneous

Concealed adapter -

35 080 970-90
0010






Wall elbow - Dark Chrome

28 450 980

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	------------------------

UK Water Supply Regulations



Wall elbow - Dark Chrome

28 450 980

Certificates

Belgaqua_22_280_2 WRAS_2310

IAPMO_4976

Wall elbow - Dark Chrome

28 450 980

