

Wall elbow - Light Gold

28 450 980



- 3/8" shower outlet
  - rosette 60 x 60 mm
  - 1/2" connection
  - WRAS
- Intrinsic protection against back flow.**
- Intrinsic protection against back flow.

	Light Gold	28 450 980-26
	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Durabrass (23kt Gold)	28 450 980-09
	Dark Chrome	28 450 980-19
	Brushed Light Gold	28 450 980-27
	Brushed Durabrass (23kt Gold)	28 450 980-28
	Matte Black	28 450 980-33
	Brushed Bronze	28 450 980-42
	Brushed Champagne (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Cyprum	28 450 980-49
	Brushed Chrome	28 450 980-93
	Brushed Dark Platinum	28 450 980-99

Required miscellaneous

Concealed adapter -

35 080 970-90  
0010




Wall elbow - Light Gold

28 450 980

mm [inches]



Flow rate chart



Codes & Standards

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## Wall elbow - Light Gold

---

28 450 980

### Certificates

---

Belgaqua\_22\_280\_2 WRAS\_2310

## Wall elbow - Light Gold

28 450 980

