


## Wall elbow with integrated shower holder - Dark Chrome

28 490 660



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS


Intrinsic protection against back flow.

|   |                                   |               |
|---|-----------------------------------|---------------|
|    | Dark Chrome                       | 28 490 660-19 |
|    | Chrome                            | 28 490 660-00 |
|    | Brushed Platinum                  | 28 490 660-06 |
|    | Platinum                          | 28 490 660-08 |
|    | Light Gold                        | 28 490 660-26 |
|    | Brushed Light Gold                | 28 490 660-27 |
|    | Brushed Durabronze<br>(23kt Gold) | 28 490 660-28 |
|    | Matte Black                       | 28 490 660-33 |
|    | Brushed Bronze                    | 28 490 660-42 |
|   | Brushed Champagne (22kt<br>Gold)  | 28 490 660-46 |
|  | Champagne (22kt<br>Gold)          | 28 490 660-47 |
|   | Cyprum                            | 28 490 660-49 |
|  | Brushed Chrome                    | 28 490 660-93 |
|  | Brushed Dark<br>Platinum          | 28 490 660-99 |

Wall elbow with integrated shower holder - Dark Chrome

28 490 660

mm [inches]



Flow rate chart



Codes & Standards

EN 1717



## Wall elbow with integrated shower holder - Dark Chrome

---

28 490 660

### Certificates

---

Belgaqua\_21-024-2

## Wall elbow with integrated shower holder - Dark Chrome

28 490 660

Parts for other  
finishes can be found  
here: [Chrome](#)

