

## Body spray without volume control FlowReduce - Brushed Chrome















TARA

28 518 979 Product version from 4/1/2024



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Fits: TARA, LISSÉ, VAIA, META

|   |                               |               |
|---|-------------------------------|---------------|
|    | Brushed Chrome                | 28 518 979-93 |
|    | Chrome                        | 28 518 979-00 |
|    | Brushed Platinum              | 28 518 979-06 |
|    | Platinum                      | 28 518 979-08 |
|    | Durabrand (23kt Gold)         | 28 518 979-09 |
|    | Dark Chrome                   | 28 518 979-19 |
|    | Light Gold                    | 28 518 979-26 |
|    | Brushed Light Gold            | 28 518 979-27 |
|    | Brushed Durabrand (23kt Gold) | 28 518 979-28 |
|   | Matte Black                   | 28 518 979-33 |
|  | Brushed Bronze                | 28 518 979-42 |
|  | Brushed Champagne (22kt Gold) | 28 518 979-46 |
|  | Champagne (22kt Gold)         | 28 518 979-47 |
|  | Brushed Dark Platinum         | 28 518 979-99 |



Flow rate chart



Trajectory diagram



## Codes & Standards

ASME  
A112.18.1/CSA  
B125.1

Scottish Water  
Byelaws

California Energy  
Commission  
(CEC)

UK Water Supply  
Regulations

DIN 4109

Ü-Zeichen

ISO 3822



## Body spray without volume control FlowReduce - Brushed Chrome

TARA

28 518 979 Product version from 4/1/2024

### Certificates

LGA\_38

WRAS\_240602

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

| No. | Item Number        | Name                  | Quantity used | Delivery time |
|-----|--------------------|-----------------------|---------------|---------------|
| 1   | 90 14 10 026 00 90 | seal                  | 1             | 2             |
| 2   | 09 27 22 019-93    | rosette               | 1             | 20            |
| 3   | 09 23 30 026-93    | nut                   | 1             | 20            |
| 4   | 09 14 15 010 90    | ring                  | 1             | 2             |
| 5   | 09 16 01 014 90    | ring                  | 1             | 2             |
| 6   | 09 23 01 048 90    | back-flow preventer   | 1             | 2             |
| 7   | 09 21 40 016-93    | connection            | 1             | 20            |
| 8   | 09 14 10 015 90    | seal                  | 1             | 2             |
| 9   | 90 12 05 027 00-93 | casing ( completely ) | 1             | 20            |