

MADISON Rain shower with wall fixing 200 mm - Durabrand (23kt Gold)

MADISON

28 545 977 Product version up to 12/5/2019










- rain shower Ø 200 mm
- Rain shower: PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system

Technical data:

- 435mm projection
- rosette Ø 55 mm
- 1/2" connection

Notes:

- This product reduces water consumption by 28% (compared to requirements of EPAct '92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


	Durabrand (23kt Gold)	28 545 977-09 0010
	Chrome	28 545 977-00 0010
	Brushed Platinum	28 545 977-06 0010
	Platinum	28 545 977-08 0010
	Brushed Durabrand (23kt Gold)	28 545 977-28 0010
	Brushed Dark Brass	28 545 977-39 0010
	Brushed Dark Platinum	28 545 977-99 0010

Required miscellaneous



- Concealed wall elbow -** 35 085 970-90 0010
- max. recess depth 163 mm
 - min. recess depth 90 mm

28 545 977 Product version up to 12/5/2019



Codes & Standards

ASME A112.18.1 California Energy Commission (CEC) cUPC EPA WaterSense

WaterSense



Certificates and sustainability

IAPMO_4976 IAPMO_11777



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	3 09 11 03 017-09	connection	1.00	40
	4 28 535 977-09 0010	shower	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	1 09 27 35 003-09	rosette	1.00	40
	2 90 14 10 026 00 90	seal	1.00	2