

LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

32 805 680



- 165mm projection
 - pivotable spout 360°
 - air-enriched flow
 - height of mixer 230 mm
 - height up to laminar flow regulator 205 mm
 - individual rosette 55 x 55 mm
 - hole diameter spout 35 mm
 - single-lever mixer hole diameter 44 mm
 - 2 x pressure hose with 3/8" cap nut
 - max. flow 5.7 l/min at 3 bar flow pressure
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Operating unit can be positioned freely.

	Dark Chrome	32 805 680-19 0010
	Chrome	32 805 680-00 0010
	Brushed Platinum	32 805 680-06 0010
	Platinum	32 805 680-08 0010
	Brushed Durabronze (23kt Gold)	32 805 680-28 0010
	Brushed Champagne (22kt Gold)	32 805 680-46 0010
	Champagne (22kt Gold)	32 805 680-47 0010
	Brushed Dark Platinum	32 805 680-99 0010

Recommended miscellaneous

AIR SWITCH Control button - Dark Chrome 10 714 970-19




Recommended miscellaneous

Dispenser with rosette - Dark Chrome 82 439 970-19




LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

32 805 680



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)
cUPC	NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372
NSF61			



LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

32 805 680

Certificates

IAPMO_N-4	IAPMO_6	IAPMO_4976 (
-----------	---------	--------------

LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

32 805 680

Parts for other
finishes can be found
here: [Chrome](#)

