

IMO Single-lever basin mixer without pop-up waste - Brushed Chrome

IMO

33 527 670



- 105mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 149 mm
- height up to aerator 80 mm
- hole diameter 35 mm
- progressive cartridge
- 2 x pressure hose with 3/8" cap nut
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB



Brushed Chrome

33 527 670-93 0010



Chrome

33 527 670-00 0010




Brushed Platinum


33 527 670-06 0010

33 527 670

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
EPA WaterSense	NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372
NSF61	Water Sense	WaterSense	



IMO Single-lever basin mixer without pop-up waste - Brushed Chrome

IMO

33 527 670

Certificates

IAPMO_4976

IAPMO_8834


IAPMO_6397

IAPMO_N-4976

33 527 670

Product version up to 5/10/2021

Product version from 5/10/2021





IMO Single-lever basin mixer without pop-up waste - Brushed Chrome

IMO

33 527 670

Spare parts list

Product version up to 5/10/2021

Product version from 5/10/2021

No.	Item Number	Name	Quantity used	Delivery time
	09 20 67 001-93	handle	17	20