

## TARA ULTRA BAR TAP Single-lever mixer - Brushed Bronze

TARA ULTRA

33 805 875 Product version from 5/3/2021



- 166mm projection
- gauge mm
- pivotable spout 360°
- laminar flow
- height of mixer 303 mm
- height up to laminar flow regulator 186 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Not possible in combination with rinsing spray.

	Brushed Bronze	33 805 875-42 0010
	Chrome	33 805 875-00 0010
	Brushed Platinum	33 805 875-06 0010
	Platinum	33 805 875-08 0010
	Durabrand (23kt Gold)	33 805 875-09 0010
	Dark Chrome	33 805 875-19 0010
	Brushed Durabrand (23kt Gold)	33 805 875-28 0010
	Matte Black	33 805 875-33 0010
	Brushed Champagne (22kt Gold)	33 805 875-46 0010
	Champagne (22kt Gold)	33 805 875-47 0010
	Brushed Chrome	33 805 875-93 0010
	Brushed Dark Platinum	33 805 875-99 0010

### Recommended miscellaneous

**AIR SWITCH Control button -  
Brushed Bronze** 10 713 970-42




### Recommended miscellaneous

**Dispenser without rosette -  
Brushed Bronze** 82 424 970-42



33 805 875 Product version from 5/3/2021



## Codes & Standards


ADA	California Energy Commission (CEC)	NSF372	NSF61
-----	--	--------	-------

## Certificates and sustainability

IAPMO\_N-4976 IAPMO\_6397

33 805 875 Product version from 5/3/2021

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
10	09 27 85 001-42	rosette	1.00	60
12	04 30 04 106 00 90	hose	2.00	2
4	09 24 04 130-07	nut	1.00	30
2	09 31 11 008 90	pin	1.00	2
13	09 31 11 011 90	pin	1.00	2
3	90 15 05 041 00 90	cartridge	1.00	2
9	09 14 10 118 90	seal	1.00	2
5	09 24 04 204-42	cover	1.00	60
8	09 20 88 051-42	handle	1.00	60
6	90 31 20 109 00 90	plug	1.00	2
7	90 31 11 030 00 90	pin	1.00	2
14	12 803 970-90 0010	Extension set -	1.00	60
11	04 30 11 038 64 90	fixing set	1.00	2
1	90 28 22 206 01-42	spout	1.00	20