

TARA ULTRA PIVOT Single-lever mixer - Brushed Champagne (22kt Gold)

TARA ULTRA

33 845 875 Product version from 10/27/2020



- 552mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 372 mm
- height up to aerator 290 mm
- rosette 55 mm
- hole diameter 30 mm
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Not possible in combination with rinsing spray.

	Brushed Champagne (22kt Gold)	33 845 875-46 0010
	Chrome	33 845 875-00 0010
	Brushed Platinum	33 845 875-06 0010
	Platinum	33 845 875-08 0010
	Durabronze (23kt Gold)	33 845 875-09 0010
	Dark Chrome	33 845 875-19 0010
	Brushed Durabronze (23kt Gold)	33 845 875-28 0010
	Brushed Bronze	33 845 875-42 0010
	Champagne (22kt Gold)	33 845 875-47 0010
	Brushed Chrome	33 845 875-93 0010
	Brushed Dark Platinum	33 845 875-99 0010

Recommended miscellaneous

Dispenser with rosette - Brushed Champagne (22kt Gold) 82 444 970-46



Recommended miscellaneous

AIR SWITCH Control button - Brushed Champagne (22kt Gold) 10 713 970-46



Technical drawing of the 3000 Series Vertical Stand, showing two views: a side view and a front view. Dimensions are provided in millimeters (mm) and inches (inches).

Side View Dimensions:

- Overall width: 332 [13 1/8"]
- Distance from base to top of main body: 220 [8 5/8"]
- Distance from base to top of main body (alternative measurement): 264 [10 3/8"]
- Distance from base to top of main body (alternative measurement): 281 [11 1/8"]
- Distance from base to top of main body (alternative measurement): 373 [14 5/8"]
- Distance from base to top of main body (alternative measurement): 173 [6 7/8"]
- Distance from base to top of main body (alternative measurement): 10 [3/8"]
- Distance from base to top of main body (alternative measurement): 38 [1 1/2"]
- Distance from base to top of main body (alternative measurement): 26 [1"]
- Distance from base to top of main body (alternative measurement): 35 [1 3/8"]
- Distance from base to top of main body (alternative measurement): 55 [2 1/8"]
- Distance from base to top of main body (alternative measurement): 448 [17 5/8"]
- Distance from base to top of main body (alternative measurement): 3/8" Comp.

Front View Dimensions:

- Overall height: 448 [17 5/8"]
- Distance from base to top of main body: 3/8" Comp.

Other Labels:

- M 26x1
- max. 45 [1 3/4"]
- Ø 30 [1 1/8"]
- Ø 38 [1 1/2"]
- Ø 26 [1"]
- Ø 35 [1 3/8"]
- Ø 55 [2 1/8"]

psi	gpm
0	0.0
5	1.0
10	1.5
15	1.8
20	1.95
25	2.0
30	2.0
40	2.05
50	2.05
60	2.1
70	2.1
80	2.1

ADA	California Energy Commission (CEC)	NSF372	NSF61
-----	------------------------------------	--------	-------



TARA ULTRA PIVOT Single-lever mixer - Brushed Champagne (22kt Gold)

TARA ULTRA

33 845 875 Product version from 10/27/2020


Certificates and sustainability

IAPMO_N-4976

IAPMO_6397

33 845 875 Product version from 10/27/2020

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
9	09 24 04 266 90	nut	1.00	2
8	09 14 10 091 90	seal	1.00	2
6	90 20 87 004 00-46	handle	1.00	30
13	09 14 10 081 90	seal	1.00	2
5	90 28 22 257 00-46	joint	1.00	30
10	90 15 05 042 00 90	cartridge	1.00	2
4	90 23 01 026 08-46	aerator	1.00	30
15	09 28 10 159 90	ring	1.00	2
11	09 28 10 156 90	ring	1.00	2
18	04 30 04 103 00 90	hose	2.00	2
16	09 27 87 033-46	rosette	1.00	30
3	90 19 87 001 00-46	spout	1.00	30
14	09 30 01 126 90	connection	1.00	2
7	09 28 30 013-46	cover	1.00	30
1	09 20 62 025-46	handle	1.00	30
2	90 12 12 002 00 90	fixing cap	1.00	2
17	04 30 11 085 87 90	fixing set	1.00	2
12	90 14 10 063 00 90	seal	1.00	2