

ENO Single-lever mixer Pull-out with spray function - Brushed Chrome

ENO


33 870 760



- 225mm projection
  - pivotable spout 130°
  - laminar and spray flow
  - height of mixer 167 mm
  - height up to aerator 137 mm
  - hole diameter 35 mm
  - 2 x pressure hose with 3/8" cap nut
  - fabric braided hose 1500 mm
  - max. flow 5.7 l/min at 3 bar flow pressure
  - lead-free
  - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Intrinsic protection against back flow.
- Push button locks into spray mode when pressed. To switch back to aerator mode the water must be turned off.

	Brushed Chrome	33 870 760-93 0010
	Chrome	33 870 760-00 0010
	Brushed Platinum	33 870 760-06 0010
	Platinum	33 870 760-08 0010
	Dark Chrome	33 870 760-19 0010
	Brushed Durabrass (23kt Gold)	33 870 760-28 0010
	Brushed Champagne (22kt Gold)	33 870 760-46 0010
	Champagne (22kt Gold)	33 870 760-47 0010
	Brushed Dark Platinum	33 870 760-99 0010


Recommended miscellaneous

	<b>Dispenser without rosette - Brushed Chrome</b>	82 424 970-93
---	---	---------------


Recommended miscellaneous

	<b>AIR SWITCH Control button - Brushed Chrome</b>	10 713 970-93
---	---	---------------

33 870 760



### Flow rate chart



### Codes & Standards

ADA

ASME  
A112.18.1/CSA  
B125.1

California Energy  
Commission  
(CEC)

NSF/ANSI 372

NSF/ANSI/CAN  
61



## ENO Single-lever mixer Pull-out with spray function - Brushed Chrome

---

ENO

33 870 760

### Certificates

---

IAPMO\_N-4976 (2). IAPMO\_6397 (1).

33 870 760

Parts for other  
finishes can be found  
here: [Chrome](#)

