

META SQUARE Single-lever mixer Pull-down with spray function - Brushed Bronze

META SQUARE

33 870 861 Product version from 2/1/2023 to 10/30/2024



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- height of mixer 386 mm
- height up to laminar flow regulator 183 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Push button locks into spray mode when pressed. To switch back to laminar flow the water must be turned off.

	Brushed Bronze	33 870 861-42 0010
	Chrome	33 870 861-00 0010
	Brushed Platinum	33 870 861-06 0010
	Platinum	33 870 861-08 0010
	Durabronze (23kt Gold)	33 870 861-09 0010
	Dark Chrome	33 870 861-19 0010
	Brushed Durabronze (23kt Gold)	33 870 861-28 0010
	Matte Black	33 870 861-33 0010
	Brushed Champagne (22kt Gold)	33 870 861-46 0010
	Champagne (22kt Gold)	33 870 861-47 0010
	Brushed Chrome	33 870 861-93 0010
	Brushed Dark Platinum	33 870 861-99 0010

Recommended miscellaneous

	Swivel limitation set -	12 823 970 90
--	--------------------------------	---------------

Recommended miscellaneous

	AIR SWITCH Control button - Brushed Bronze	10 713 970-42
--	---	---------------


Recommended miscellaneous

	Dispenser without rosette - Brushed Bronze	82 424 970-42
--	---	---------------



META SQUARE Single-lever mixer Pull-down with spray function - Brushed Bronze

META SQUARE



Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
NSF372	NSF61		

Certificates and sustainability

IAPMO_6397	IAPMO_N-4976	IAPMO_4976 (
------------	--------------	--------------

This exploded view diagram illustrates the components of a water tap assembly, numbered 1 through 15. The parts are arranged vertically to show their assembly sequence. At the top, a curved faucet handle (1) is shown with a decorative cap (2). Below the handle is the main faucet body (3), which includes a decorative cap (4) and a decorative ring (5). The faucet body (3) is connected to a water supply pipe (6) via a connection nut (7) and a decorative cap (8). The faucet body (3) is also connected to a water supply pipe (9) via a connection nut (10) and a decorative cap (11). The faucet body (3) is connected to a water supply pipe (12) via a connection nut (13) and a decorative cap (14). The faucet body (3) is connected to a water supply pipe (15) via a connection nut (16) and a decorative cap (17).

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 11 148 00-42	shower	1.00	60
7	09 14 10 190 90	seal	1.00	2
12	04 30 04 103 00 90	hose	2.00	2
6	90 15 05 064 05 90	cartridge	1.00	2
13	04 28 20 067 00 90	pipe	1.00	2
4	09 28 10 160 90	ring	2.00	2
14	90 24 03 253 01 90	adaptor	1.00	2
2	04 30 02 120 00-85	hose	1.00	10
5	09 18 40 186 90	sleeve	1.00	2
15	04 21 50 010 00 90	accessories	1.00	2
8	09 28 30 030-42	cover	1.00	60
3	90 28 22 308 00-42	spout	1.00	30
10	04 30 11 040 00 90	fixing set	1.00	2
11	09 20 93 056 90	insert	1.00	2
9	90 20 66 027 00-42	handle	1.00	30