

ENO Single-lever mixer Pull-out with spray function - Brushed Platinum

ENO

33 875 760



- 225mm projection
- pivotable spout 130°
- laminar and spray flow
- height of mixer 254 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- 1600mm metal shower hose
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Push button locks into spray mode when pressed.
To switch back to aerator mode the water must be turned off.

	Brushed Platinum	33 875 760-06 0010
	Chrome	33 875 760-00 0010
	Platinum	33 875 760-08 0010
	Dark Chrome	33 875 760-19 0010
	Brushed Durabronze (23kt Gold)	33 875 760-28 0010
	Brushed Champagne (22kt Gold)	33 875 760-46 0010
	Champagne (22kt Gold)	33 875 760-47 0010
	Brushed Chrome	33 875 760-93 0010
	Brushed Dark Platinum	33 875 760-99 0010

Recommended miscellaneous

**AIR SWITCH Control button -
Brushed Platinum**

10 713 970-06




Recommended miscellaneous

**Dispenser without rosette -
Brushed Platinum**


82 424 970-06



33 875 760



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)
cUPC	NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372
NSF61			



ENO Single-lever mixer Pull-out with spray function - Brushed Platinum

ENO

33 875 760

Certificates

IAPMO_4976

IAPMO_6397

IAPMO_N-4976

33 875 760


Product version from 2/26/2015 to 3/5/2020

Product version from 3/5/2020 to 1/7/2021

Product version from 1/7/2021 to 5/7/2021

Product version from 5/7/2021

Parts for other
finishes can be found
here: [Chrome](#)





ENO Single-lever mixer Pull-out with spray function - Brushed Platinum

ENO

33 875 760

Spare parts list

Product version from 2/26/2015 to 3/5/2020

Product version from 3/5/2020 to 1/7/2021

Product version from 1/7/2021 to 5/7/2021

Product version from 5/7/2021

No.	Item Number	Name	Quantity used	Delivery time
	09 20 76 001-06	handle	29	10