

SYNC Single-lever mixer Pull-down with spray function - Durabrand (23kt Gold)

SYNC

33 875 895



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 420 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Push button locks into spray mode when pressed. To switch back to laminar flow the water must be turned off.

| | | |
|--|-------------------------------|--------------------|
| | Durabrand (23kt Gold) | 33 875 895-09 0010 |
| | Chrome | 33 875 895-00 0010 |
| | Brushed Platinum | 33 875 895-06 0010 |
| | Platinum | 33 875 895-08 0010 |
| | Dark Chrome | 33 875 895-19 0010 |
| | Brushed Durabrand (23kt Gold) | 33 875 895-28 0010 |
| | Matte Black | 33 875 895-33 0010 |
| | Brushed Champagne (22kt Gold) | 33 875 895-46 0010 |
| | Champagne (22kt Gold) | 33 875 895-47 0010 |
| | Brushed Chrome | 33 875 895-93 0010 |
| | Brushed Dark Platinum | 33 875 895-99 0010 |

Recommended miscellaneous

| | | |
|--|--------------------------------|---------------|
| | Swivel limitation set - | 12 821 970 90 |
|--|--------------------------------|---------------|


Recommended miscellaneous

| | | |
|--|--|---------------|
| | Dispenser without rosette - Durabrand (23kt Gold) | 82 424 970-09 |
|--|--|---------------|


Recommended miscellaneous

| | | |
|--|--|---------------|
| | AIR SWITCH Control button - Durabrand (23kt Gold) | 10 713 970-09 |
|--|--|---------------|

33 875 895



Flow rate chart



Codes & Standards

| | | | |
|--------------------|---------------------------------|--|--------------|
| ADA | ASME A112.18.1/CSA B125.1 | California Energy Commission (CEC) | NSF/ANSI 372 |
| NSF/ANSI/CAN 61 | NSF372 | NSF61 | |



SYNC Single-lever mixer Pull-down with spray function - Durabrass (23kt Gold)

SYNC


33 875 895

Certificates

IAPMO_6397

IAPMO_N-4976

Product version from 7/1/2021





SYNC Single-lever mixer Pull-down with spray function - Durabrass (23kt Gold)

SYNC

33 875 895

Spare parts list

Product version from 7/1/2021