



# DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110



- 230mm projection
- pivotable spout 120°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 5.2 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.



Brushed Nickel

33 960 110-70 0010



Chrome

33 960 110-00 0010





Soft Black

33 960 110-69 0010




DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110



Flow rate chart



Codes & Standards

California Energy Commission (CEC)	NSF372	NSF61
------------------------------------	--------	-------



DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

---

33 960 110  
Certificates


---

IAPMO\_N-4976      IAPMO\_6397

## DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 81 001 00-70	handle	1	2
2	90 28 30 010 00-70	cover	1	2
3	90 15 05 067 00 90	cartridge	1	2
4	90 18 40 227 00 90	insert	1	2
5	90 30 02 101 00 90	hose	1	2
6	90 23 01 051 01 90	flow reducer	1	2
7	90 14 05 081 00 90	seal	1	2
8	90 12 11 181 01-70	shower	1	2
9	90 14 15 062 00 90	gasket kit	1	2
10	90 30 01 211 01 90	shaft	1	2
11	90 14 05 080 00 90	seal	1	2
12	90 23 10 003 00 90	fixing set	1	2
13	04 30 04 102 00 90	High pressure hose 3/8" -	2	2
14	90 30 04 110 00 90	hose	1	2