



DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

DORNBRAUCHT
LYV

33 960 110



- 230mm projection
- pivotable spout 120°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 5.2 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.



Brushed Nickel

33 960 110-70 0010



Chrome

33 960 110-00 0010



Soft Black



33 960 110-69 0010



DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

DORNBRACHT
LYV

33 960 110



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
NSF61			

Certificates and sustainability


IAPMO_N-4976	IAPMO_6397	IAPMO_4976 (
--------------	------------	--------------

DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

DORNBRAUCH
LYV

33 960 110

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	3 90 15 05 067 00 90	cartridge	1.00	2
	7 90 14 05 081 00 90	seal	1.00	2
	9 90 14 15 062 00 90	gasket kit	1.00	2
	8 90 12 11 181 01-70	shower	1.00	2
	1 90 20 81 001 00-70	handle	1.00	2
	2 90 28 30 010 00-70	cover	1.00	2
	6 90 23 01 051 01 90	flow reducer	1.00	2
	14 90 30 04 110 00 90	hose	1.00	2
	11 90 14 05 080 00 90	seal	1.00	2
	13 04 30 04 102 00 90	High pressure hose 3/8" -	2.00	2
	4 90 18 40 227 00 90	insert	1.00	2
	10 90 30 01 211 01 90	shaft	1.00	2
	5 90 30 02 101 00 90	hose	1.00	2
	12 90 23 10 003 00 90	fixing set	1.00	2